



OPERAÇÕES GCR

SERVICES & LOGISTICS PROVIDER

EQUIPMENT CATALOG

Offshore containers, ISO containers, tanks, IBCs, integrated equipment and modular construction for the oil & gas, mining, construction and logistics industries.



**03** Message from Management**04** About the Company**05** Certification & Quality**06** Offshore Containers · DNV 2.7-1**07** Offshore Tanks**08** Skips, Baskets & Tool Boxes**09** Offshore Reference List**10** ISO Dry Cargo Containers**11** Special Containers**12** UN Portable Tanks & IBCs**13** Integrated Equipment**14** Modular Construction**15** Vehicle Logistics Equipment**16** Ordering Process & Sectors Served**17** Contact & Request for Quotation**HOW TO USE THIS CATALOGUE**

Each item is listed with its main characteristics. PLT / P references in section 09 identify offshore models available for immediate quotation. All prices are supplied on request, depending on quantity, finish and the agreed Incoterm.

90+

MODELS LISTED

MESSAGE FROM MANAGEMENT



Our mission is simple: to put the equipment offshore and industrial operations cannot do without into Angola, on time and with the certification required.

OPERAÇÕES GCR — Prestação de Serviços e Logística was founded to close a gap in the Angolan market: operators, contractors and service providers depended on long import lead times and successive intermediaries to obtain certified offshore containers, tanks and baskets.

As commercial representative of **CIMC Dalian** — one of the world's largest manufacturers of containers and special equipment — we secure direct factory access with manufacturer's warranty, and follow every order from technical specification through to delivery on site.

We complement sales with **rental, logistics, transport, maintenance and inspection**, because certified equipment only has value when it is available, in condition and in the right place.

We thank you for your interest and remain available to study your specific needs.



OUR COMMITMENT

As commercial representative of CIMC Dalian, we give Angolan operators direct factory access to certified offshore and industrial equipment — and we back it with leasing, logistics, maintenance and inspection.

MANAGEMENT

OPERAÇÕES GCR · Luanda, Angola

Head office	Camama, Luanda
Partner factory	CIMC Dalian
Standards	DNV 2.7-1 · ISO 10855



OPERAÇÕES GCR is an Angolan services and logistics company based in Luanda, supplying and managing transport and storage equipment for offshore and industrial operations. We act both as **commercial representative of CIMC Dalian** and as an **offshore logistics provider** — covering a factory order and an urgent rental need alike.

LINES OF BUSINESS

Container sales

New, factory-built ISO, special and offshore containers, with warranty and full documentation.

Rental & leasing

Short and long-term contracts for campaigns, construction sites and drilling operations.

Offshore DNV 2.7-1

Certified containers, baskets, skips and modules for open-sea lifting.

Tanks & IBCs

UN portable tanks, offshore tanks and IBCs for liquids, powders and dangerous goods.

Logistics & transport

Customs clearance, inland haulage and handling to the base or the loading berth.

Maintenance & inspection

Repair, repainting, periodic recertification and fleet management for clients.



Import-export

We handle import documentation, cargo insurance and vessel tracking through to Angolan customs.

One point of contact

From technical specification to delivery, the same team owns the process — no additional intermediaries.

CERTIFICATION & QUALITY



Offshore equipment supplied is manufactured and approved by international classification societies. Every unit is delivered with a certificate of origin, load test certificate, lifting plan and identification plate.



DNV



ABS



Lloyd's Register



Bureau Veritas

STANDARDS APPLIED

DNV 2.7-1	Offshore containers
ISO 10855	Offshore containers
DNV 2.7-3	Portable offshore units
ISO 1496 / ISO 668	ISO containers
CSC · IMO	Safety approval
UN T11 / T14 · IMDG	Portable tanks

DOCUMENTATION SUPPLIED

- Classification society certificate
- Proof load test report
- Certified sling set and lifting plan
- Identification plate and CSC marking
- Operation and periodic inspection manual

FINISHES AVAILABLE

- Hot-dip galvanising (HDG) for marine environments
- Offshore paint system, client's choice of colour
- Stainless steel for chemical product tanks
- Client marking and logo

Periodic inspection is mandatory. Offshore units require annual inspection and a load test every 4 years. GCR manages this locally in Angola, avoiding equipment downtime and loss of certification.

OFFSHORE CONTAINERS

DNV 2.7-1 / ISO 10855



Offshore Container

8' · 10' · 15' · 20' · DNV 2.7-1



Mini Container with Middle Shelf

6'x6'x8' · internal rack



Side Open Offshore Container

End and side door · 10' / 20'



Open Top Offshore Container · HDG

Hot-dip galvanised · optional tarpaulin



Half Height Open Top Offshore Container

10' · 15' · 20' · bulk cargo



Offshore Workshop Module

10ft · 15ft · 20ft · fully equipped

TECHNICAL DATA · 20FT OFFSHORE WORKSHOP MODULE

CERTIFICATION

ISO 10855
DNV 2.7-1 Offshore Container

POWER SUPPLY

110/230 V · 50/60 Hz
16 A single phase

EXTERNAL DIMENSIONS

L 6058 × W 2438 × H 2896 mm
Tare 6,840 kg
Payload 13,160 kg

OPTIONAL

Air conditioning · air hose reel · EX heating

EQUIPMENT INCLUDED

Shelving and workbench · fire extinguisher · Ex lighting · technical connection room · PA communication system



OFFSHORE TANKS

DNV 2.7-1



Vertical Offshore Tank

Full protection frame



Horizontal Offshore Tank

2,700 L to 5,000 L



20ft Offshore Tank

ISO frame · 10' and 20'



Square Offshore Tank

Stackable · front access



Helifuel Offshore Tank

2,900 L · 4,147 L · 20ft



Vertical Tank · Heating & Insulation

Electric heating · thermal insulation

CAPACITIES AVAILABLE

2,700 L horizontal

2,900 L fuel

2,900 L heli fuel

4,000 L portable

4,147 L heli fuel

4,600 L portable

5,000 L portable

300 gal

500 gal chemical

550 gal IBC frame

10' tank

20' tank

OFFSHORE SLING SETS

All offshore tanks and containers can be supplied with a certified 4-leg or 5-leg sling set, with test certificate and individual identification, as required by DNV 2.7-1.

SKIPS, BASKETS & TOOL BOXES

Skips, baskets, tool boxes & bottle racks



Offshore Mud Skip · HDG

2.6 · 2.85 · 3.1 · 3.6 m³



Offshore Waste Skip

3 m³ · 6.5 m³ · HDG version



Offshore Basket

2.85 m · 6.3 m · 12 m



Offshore Tool Box

Hinged lid · keyed lock



Bottle Rack

Closed, open and shelved models



Cutting Box

2.6 · 3.1 · 3.6 m³ · HDG version



STACKING

All units are stackable and designed for crane lifting with sway in open sea.

GALVANISING

HDG finish recommended for mud, waste and prolonged exposure to saline environments.

DRAINAGE

Skips and cutting boxes with drain valve, lid and certified fixing points.

OFFSHORE REFERENCE LIST

Quote by reference



Quote the reference in your enquiry to speed up your quotation. Dimensions, tare and payload are confirmed in the proposal.

CLOSED TOP

15' Offshore Container	PLT-611
6'x6'x8' Mini Offshore Container	PLT-303A
6'x6'x8' Shelved Mini Container	PLT-304B
6'x6'x8' Shelved Mini Container	PLT-605
20' Offshore Container	P-1073
8' Offshore Container	PLT-321
10' Offshore Container (8'6" height)	PLT-364M
10' Offshore Reefer	on request

OPEN TOP

10' Open Top Offshore Container	PLT-724
20' Open Top Offshore Container	PLT-636A
20' Hard Top Offshore Container	PLT-1399

HALF HEIGHT OPEN TOP

10' Half Height Open Top	PLT-1099
15' Half Height Open Top	P-1040
20' Half Height Open Top	P-1059

HOT DIP GALVANISED

10ft HDG Open Top Offshore Container	PLT-568
Offshore Container / High Cube	PLT-573
HDG Cutting Box	PLT-1085A

MUD SKIP & CUTTING BOX

2.6 m ³ Cutting Box & Mud Skip	PLT-1342
3.6 m ³ Cutting Box & Mud Skip	P-1085
3.1 m ³ Cutting Box & Mud Skip	P-1215
2.85 m ³ Mud Skip	P-1112
Mud Skip	P-1202

WASTE / BOAT SKIP

3 m ³ Waste Skip	PLT-1199
6.5 m ³ Waste Skip	P-1081B
6.5 m ³ Waste Skip · HDG	PLT-1081

OFFSHORE BASKET


2.85 m Offshore Basket	PLT-517
6.3 m Offshore Basket	B-1042
12 m Offshore Basket	PLT-516

BOTTLE RACK

Bottle Rack · closed	P-1121A
Bottle Rack · open	P-1102A
Bottle Rack · shelved	P-1328

TOOL BOX

Offshore Tool Box	PLT-937
Offshore Tool Box	P-1068
Offshore Tool Box · long	PLT-955



ISO CONTAINERS

ISO dry cargo containers · ISO 668 / ISO 1496



ISO 20GP Dry Cargo Container

6,058 × 2,438 × 2,591 mm · 33.2 m³

ISO 20HC Dry Cargo Container

6,058 × 2,438 × 2,896 mm · 37.3 m³

ISO 40GP Dry Cargo Container

12,192 × 2,438 × 2,591 mm · 67.7 m³

ISO 40HC Dry Cargo Container

12,192 × 2,438 × 2,896 mm · 76.3 m³

NOMINAL DIMENSIONS

Type	External (L × W × H)	Internal (L × W × H)	Door opening	Volume
20' GP	6,058 × 2,438 × 2,591	5,898 × 2,352 × 2,393	2,340 × 2,280	33.2 m ³
20' HC	6,058 × 2,438 × 2,896	5,898 × 2,352 × 2,698	2,340 × 2,585	37.3 m ³
40' GP	12,192 × 2,438 × 2,591	12,032 × 2,352 × 2,393	2,340 × 2,280	67.7 m ³
40' HC	12,192 × 2,438 × 2,896	12,032 × 2,352 × 2,698	2,340 × 2,585	76.3 m ³

Nominal values in mm per ISO 668. Tare and max payload confirmed at quotation.

Factory new

CIMC production, with CSC marking and certificate of origin.

One-way & used

Cargo-worthy units available subject to stock.

Conversions

Doors, windows, insulation, wiring and paint to specification.

SPECIAL CONTAINERS

Open top, bulk, side open, foldable



35t Open Top Container

2,550 / 2,438 mm width




30t Open Top Container

2,438 mm width



Steel Coil Container

Dedicated inner cradle



40ft Half Height Bulk Open Top

Tipping · mining use



20ft Half Height Bulk Open Top

Ore · aggregates



Composite Lightweight Open Top

Reduced tare · higher payload



Bulk Container

Grain, fertiliser, sulphur · load/discharge ports



Side Open Container

Full-length cargo · forklift access



40ft Foldable Container

Optimised empty return

Application sectors. Mining and aggregates, agribusiness, steel, construction projects and out-of-gauge cargo handling.

UN PORTABLE TANKS & IBCS

Intermediate bulk containers



UN T14 Horizontal Portable Tank

Aggressive chemicals · IMDG



UN T14 Vertical Portable Tank

RID/ADR · IMO T14



UN T11 Heating Portable Tank

Ex-proof heating · insulation



20ft Powder Tank Container

Pneumatic discharge



Aluminium Oxide Container

Powder bulk · top hatches



IBC for Dangerous Liquid

Stainless steel · UN approval



Aluminium IBC · High Hazard

Aluminium construction



IBC with Heating Jacket

Bitumen and viscous products



IBC for Chemical Powder

Conical base · full discharge

FURTHER IBC VERSIONS

Cooling jacket

Resin granulate

Paints & varnishes

550 gal offshore frame


Stainless 304 / 316L

DANGEROUS GOODS TRANSPORT

We supply tanks and IBCs with the UN approval matching the declared product (T11, T14, RID/ADR, IMDG) and the documentation required for sea freight.

INTEGRATED EQUIPMENT

Energy, utilities, data, medical




Battery Energy Storage Container

BESS · climate control & suppression



Hydrogen Energy Storage Container

Gas detection · ventilation



Energy Storage Peaking Station

Pre-assembled modular solution




Generator / Transformer Container

Acoustic attenuation · switchgear



Mobile Power Equipment Container

Construction sites & remote locations




Wastewater Treatment Container

Ready-to-connect integrated unit



Data Center Container

Racks · UPS · cooling



Mobile Medical Container

Imaging · consulting room



Mobile Medical Unit

Health campaigns & emergency response

Tailored solutions. Integrated units are factory-configured to specification: power, redundancy, climate, protection level and local standards. Production lead time is confirmed in the proposal.

MODULAR CONSTRUCTION

Modular container construction



Modular Container Office Building

Multi-storey · integrated stairs and corridors · rapid on-site installation



Modular Container Hotel



Modular Residential House



Modular Container Town

Shops, dining and event spaces



Modular Tourist Resort

Standalone units on natural terrain

Work camps

Accommodation, canteen, sanitary blocks and laundry for construction sites and logistics bases.

Site offices

Meeting rooms, control room and medical post in linkable modules.

Tropical climate

Reinforced insulation, air conditioning and anti-corrosion protection.

Assembly

Modules pre-fitted at the factory; on-site assembly in a few days.

VEHICLE LOGISTICS EQUIPMENT



Structures that let you transport cars, commercial vehicles and KD assemblies inside standard ISO containers, cutting the cost per unit and removing the need for roll-on/roll-off vessels.



External Passenger Car Transport Rack

Ramp loading · wheel fixing



Transport Rack · SUV

Geometry adapted for taller vehicles



Internal Passenger Car Rack

Mounted inside the container




KD Piece Transport Rack

Body panels and subassemblies



Commercial Vehicle Transport Rack

Tractors and heavy chassis



Foldable & Stackable Racks

Low-volume empty return

2-4

cars per 40ft container, depending on rack model

Reusable

reusable steel racks, foldable for the return leg

No RoRo

shipped on regular container vessels, higher frequency

ORDERING PROCESS

Sectors served



01 Enquiry Send your needs: type, quantity, standard and delivery location.	02 Quotation Quote with technical specification, Incoterm, lead time and validity.	03 Production Manufacturing at CIMC Dalian, inspected by the classification society.	04 Shipment Sea freight, cargo insurance and import documentation.	05 Delivery Customs clearance in Luanda, final transport and delivery with certificates.
---	--	--	--	--

INFORMATION TO INCLUDE IN YOUR ENQUIRY

- Equipment type and reference (where applicable)
- Quantity and required lead time
- Standard required: DNV 2.7-1, ISO 10855, UN T11/T14
- Finish: offshore paint, galvanising, stainless steel
- Delivery location and Incoterm (FOB, CFR, DAP)
- Sling sets, inspection or rental needs

SECTORS SERVED

Offshore oil & gas

Drilling

Port logistics bases

Mining

Construction & public works

Energy

Agribusiness

Freight forwarders & shipowners

Public sector & healthcare

CLIENT REFERENCES

Logos to be inserted

Client
logoClient
logoClient
logoClient
logoClient
logo



OPERAÇÕES GCR

SERVICES & LOGISTICS PROVIDER

REQUEST FOR QUOTATION

HEAD OFFICE

Avenida Luther Rescova, nº 51
Camama · Luanda · Angola

PHONE · WHATSAPP

+244 938 769 108 / 131

E-MAIL

admin@operacoes-gcr.com

WEBSITE

www.operacoes-gcr.com

WHAT YOU RECEIVE WITHIN 48 HOURS

- Technical data sheet for the requested model
- FOB and CFR Luanda price
- Production and shipping lead time
- List of certificates included
- Rental options, where applicable

